

| <a href="#">Document Name</a>                | <a href="#">Company Name</a>      | <a href="#">File Number</a> | Color  | Min. Thick (mm) | Flame Class | HWI | HAI | CTI | RTI Elec (°C) | RTI Imp (°C) | RTI Str (°C) | Non-PFAS/F | RoHS | NonHal/Cl/Br |
|----------------------------------------------|-----------------------------------|-----------------------------|--------|-----------------|-------------|-----|-----|-----|---------------|--------------|--------------|------------|------|--------------|
| <a href="#">POLILEN 20 TC BLACK</a>          | ASCEND PERFORMANCE MATERIALS, LLC | E249139                     | BK     | 0.72-0.88       | HB          | --  | --  | --  | 65            | 65           | 65           |            |      |              |
| <a href="#">POLILEN COPO</a>                 | ASCEND PERFORMANCE MATERIALS, LLC | E249139                     | ALL    | 1.5             | HB          | --  | --  | --  | 65            | 65           | 65           |            |      |              |
|                                              |                                   |                             | ALL    | 3.0             | HB          | --  | --  | --  | 65            | 65           | 65           |            |      |              |
| <a href="#">POLIMID A (a) GF-VOFK</a>        | ASCEND PERFORMANCE MATERIALS, LLC | E249139                     | NC, BK | 0.8             | --          | 2   | 1   | 1   | 120           | 65           | 65           |            |      |              |
|                                              |                                   |                             | NC, BK | 1.0             | --          | 2   | 1   | 1   | 120           | 65           | 65           |            |      |              |
|                                              |                                   |                             | NC, BK | 1.5             | V-0         | 2   | 1   | 1   | 120           | 65           | 65           |            |      |              |
|                                              |                                   |                             | NC, BK | 3.0             | V-0         | 1   | 0   | 1   | 120           | 65           | 65           |            |      |              |
| <a href="#">POLIMID A 25 GF NATURALE VOF</a> | ASCEND PERFORMANCE MATERIALS, LLC | E249139                     | NC     | 1.1             | --          | --  | --  | --  | --            | --           | --           |            |      |              |
|                                              |                                   |                             | NC     | 1.5             | V-0         | --  | --  | --  | 65            | 65           | 65           |            |      |              |
|                                              |                                   |                             | NC     | 2.2             | --          | --  | --  | --  | --            | --           | --           |            |      |              |
| <a href="#">POLIMID A 25 GF-VOFK</a>         | ASCEND PERFORMANCE MATERIALS, LLC | E249139                     | NC, BK | 0.8             | --          | 2   | 1   | 1   | 120           | 65           | 65           |            |      |              |
|                                              |                                   |                             | NC, BK | 1.0             | --          | 2   | 1   | 1   | 120           | 65           | 65           |            |      |              |
|                                              |                                   |                             | NC, BK | 1.5             | V-0         | 2   | 1   | 1   | 120           | 65           | 65           |            |      |              |
|                                              |                                   |                             | NC, BK | 3.0             | V-0         | 1   | 0   | 1   | 120           | 65           | 65           |            |      |              |
| <a href="#">POLIMID A 30 GF BLACK KW</a>     | ASCEND PERFORMANCE MATERIALS, LLC | E249139                     | BK     | 0.8-1.6         | HB          | --  | --  | --  | 65            | 65           | 65           |            |      |              |
| <a href="#">POLIMID A 30 GF HM KW2 X079</a>  | ASCEND PERFORMANCE MATERIALS, LLC | E249139                     | NC, BK | 0.8             | HB          | 4   | 0   | 1   | 65            | 65           | 65           |            |      |              |
|                                              |                                   |                             | NC, BK | 1.5             | HB          | 4   | 0   | 1   | 65            | 65           | 65           |            |      |              |
|                                              |                                   |                             | NC, BK | 2.0             | HB          | 1   | 0   | 1   | 65            | 65           | 65           |            |      |              |
|                                              |                                   |                             | NC, BK | 3.5             | HB          | 0   | 0   | 1   | 65            | 65           | 65           |            |      |              |
| <a href="#">POLIMID A 30 GF KW2 X080</a>     | ASCEND PERFORMANCE MATERIALS, LLC | E249139                     | ALL    | 0.8             | HB          | 5   | 0   | 1   | 65            | 65           | 65           |            |      |              |
|                                              |                                   |                             | ALL    | 1.5             | HB          | 4   | 0   | 1   | 65            | 65           | 65           |            |      |              |
|                                              |                                   |                             | ALL    | 1.8             | HB          | 2   | 0   | 1   | 65            | 65           | 65           |            |      |              |
|                                              |                                   |                             | ALL    | 3.0             | HB          | 2   | 0   | 1   | 65            | 65           | 65           |            |      |              |
| <a href="#">POLIMID A 30 GF NERO HM</a>      | ASCEND PERFORMANCE MATERIALS, LLC | E249139                     | BK     | 0.8-1.6         | HB          | --  | --  | --  | 65            | 65           | 65           |            |      |              |
| <a href="#">POLIMID A 30 GF V0 HFR KW</a>    | ASCEND PERFORMANCE MATERIALS, LLC | E249139                     | ALL    | 0.8             | V-0         | --  | --  | --  | 65            | 65           | 65           |            |      |              |
|                                              |                                   |                             | ALL    | 1.0             | V-0         | --  | --  | --  | 65            | 65           | 65           |            |      |              |
|                                              |                                   |                             | ALL    | 1.5             | V-0         | --  | --  | --  | 65            | 65           | 65           |            |      |              |
|                                              |                                   |                             | ALL    | 3.0             | V-0         | --  | --  | --  | 65            | 65           | 65           |            |      |              |
| <a href="#">POLIMID A 30 GF</a>              | ASCEND PERFORMANCE MATERIALS, LLC | E249139                     | ALL    | 1.5             | HB          | 4   | 0   | --  | 65            | 65           | 65           |            |      |              |
|                                              |                                   |                             | ALL    | 3.0             | HB          | 4   | 0   | --  | 65            | 65           | 65           |            |      |              |

|                                               |                                   |         |            |          |          |    |    |    |     |    |    |  |  |  |
|-----------------------------------------------|-----------------------------------|---------|------------|----------|----------|----|----|----|-----|----|----|--|--|--|
| <a href="#">POLIMID A 30FC</a>                | ASCEND PERFORMANCE MATERIALS, LLC | E249139 | ALL        | 1.5      | HB       | -- | -- | -- | 65  | 65 | 65 |  |  |  |
|                                               |                                   |         | ALL        | 3.0      | HB       | -- | -- | -- | 65  | 65 | 65 |  |  |  |
| <a href="#">POLIMID A 35 GF-V0FK</a>          | ASCEND PERFORMANCE MATERIALS, LLC | E249139 | NC, BK     | 0.8      | V-0      | 2  | 1  | 1  | 120 | 65 | 65 |  |  |  |
|                                               |                                   |         | NC, BK     | 1.0      | V-0      | 2  | 1  | 1  | 120 | 65 | 65 |  |  |  |
|                                               |                                   |         | NC, BK     | 1.5      | V-0      | 2  | 1  | 1  | 120 | 65 | 65 |  |  |  |
|                                               |                                   |         | NC, BK     | 3.0      | V-0      | 1  | 0  | 1  | 120 | 65 | 65 |  |  |  |
| <a href="#">POLIMID A EM2 K1 X037/B</a>       | ASCEND PERFORMANCE MATERIALS, LLC | E249139 | BK, NC     | 0.75     | HB       | -- | -- | -- | 65  | 65 | 65 |  |  |  |
|                                               |                                   |         | BK, NC     | 3.0      | HB       | -- | -- | -- | 65  | 65 | 65 |  |  |  |
| <a href="#">POLIMID A SG KW</a>               | ASCEND PERFORMANCE MATERIALS, LLC | E249139 | ALL        | 0.75     | V-2      | -- | -- | -- | 65  | 65 | 65 |  |  |  |
|                                               |                                   |         | ALL        | 3.0      | V-2      | -- | -- | -- | 65  | 65 | 65 |  |  |  |
| <a href="#">Polimid A SG NAT</a>              | ASCEND PERFORMANCE MATERIALS, LLC | E249139 | NC         | 0.6      | --       | -- | -- | -- | 65  | 65 | 65 |  |  |  |
|                                               |                                   |         | NC         | 1.0-1.6  | V-2      | -- | -- | -- | 65  | 65 | 65 |  |  |  |
|                                               |                                   |         | NC         | 2.0      | --       | -- | -- | -- | 65  | 65 | 65 |  |  |  |
| <a href="#">POLIMID A SG V0M</a>              | ASCEND PERFORMANCE MATERIALS, LLC | E249139 | ALL        | 0.9      | V-0      | 2  | 1  | -- | 65  | 65 | 65 |  |  |  |
|                                               |                                   |         | ALL        | 1.0      | V-0      | 2  | 1  | -- | 65  | 65 | 65 |  |  |  |
|                                               |                                   |         | ALL        | 1.5      | V-0      | 2  | 1  | -- | 65  | 65 | 65 |  |  |  |
|                                               |                                   |         | ALL        | 3.0      | V-0      | 1  | 0  | -- | 65  | 65 | 65 |  |  |  |
| <a href="#">POLIMID B (b)GF KW</a>            | ASCEND PERFORMANCE MATERIALS, LLC | E249139 | ALL        | 1.6-2.99 | HB       | -- | -- | -- | 65  | 65 | 65 |  |  |  |
| <a href="#">POLIMID B (c)GF KW</a>            | ASCEND PERFORMANCE MATERIALS, LLC | E249139 | ALL        | 1.6-2.99 | HB       | -- | -- | -- | 65  | 65 | 65 |  |  |  |
| <a href="#">POLIMID B 10GF KW</a>             | ASCEND PERFORMANCE MATERIALS, LLC | E249139 | ALL        | 1.6-2.99 | HB       | -- | -- | -- | 65  | 65 | 65 |  |  |  |
| <a href="#">POLIMID B 20 GF NERO EM2 X194</a> | ASCEND PERFORMANCE MATERIALS, LLC | E249139 | BK         | 1.6      | HB       | -- | -- | -- | 65  | 65 | 65 |  |  |  |
|                                               |                                   |         | BK         | 3.0      | HB       | -- | -- | -- | 65  | 65 | 65 |  |  |  |
| <a href="#">POLIMID B 30 GF V0 HFR KW</a>     | ASCEND PERFORMANCE MATERIALS, LLC | E249139 | ALL        | 0.8      | V-0      | 1  | 0  | -- | 65  | 65 | 65 |  |  |  |
|                                               |                                   |         | ALL        | 1.6      | V-0      | 0  | 0  | -- | 65  | 65 | 65 |  |  |  |
|                                               |                                   |         | NC, WT, BK | 1.6      | V-0, 5VA | 0  | 0  | -- | 65  | 65 | 65 |  |  |  |
|                                               |                                   |         | ALL        | 3.2      | V-0, 5VA | 0  | 0  | -- | 65  | 65 | 65 |  |  |  |
| <a href="#">POLIMID B 30GF KW</a>             | ASCEND PERFORMANCE MATERIALS, LLC | E249139 | ALL        | 1.6      | HB       | -- | -- | -- | 65  | 65 | 65 |  |  |  |

|                                                               |                                            |         |     |          |     |    |    |    |    |    |    |  |  |  |
|---------------------------------------------------------------|--------------------------------------------|---------|-----|----------|-----|----|----|----|----|----|----|--|--|--|
| <a href="#">POLIMID B 36</a>                                  | ASCEND<br>PERFORMANCE<br>MATERIALS,<br>LLC | E249139 | NC  | 0.85-1.8 | HB  | -- | -- | -- | 65 | 65 | 65 |  |  |  |
| <a href="#">POLIMID B 50GF KW</a>                             | ASCEND<br>PERFORMANCE<br>MATERIALS,<br>LLC | E249139 | ALL | 1.6-2.99 | HB  | -- | -- | -- | 65 | 65 | 65 |  |  |  |
| <a href="#">POLIMID B AV V0-M</a>                             | ASCEND<br>PERFORMANCE<br>MATERIALS,<br>LLC | E249139 | ALL | 0.8      | V-0 | -- | -- | -- | 65 | 65 | 65 |  |  |  |
|                                                               |                                            |         | ALL | 1.6      | V-0 | -- | -- | -- | 65 | 65 | 65 |  |  |  |
|                                                               |                                            |         | NC  | 2.0      | --  | -- | -- | -- | 65 | 65 | 65 |  |  |  |
| <a href="#">POLIMID B AV</a>                                  | ASCEND<br>PERFORMANCE<br>MATERIALS,<br>LLC | E249139 | ALL | 0.6      | --  | -- | -- | -- | 65 | 65 | 65 |  |  |  |
|                                                               |                                            |         | ALL | 0.75     | V-2 | -- | -- | -- | 65 | 65 | 65 |  |  |  |
|                                                               |                                            |         | ALL | 1.5      | V-2 | -- | -- | -- | 65 | 65 | 65 |  |  |  |
|                                                               |                                            |         | ALL | 2.0      | V-2 | -- | -- | -- | 65 | 65 | 65 |  |  |  |
|                                                               |                                            |         | ALL | 3.0      | V-2 | -- | -- | -- | 65 | 65 | 65 |  |  |  |
| <a href="#">POLIMID B EM1 HF K1</a>                           | ASCEND<br>PERFORMANCE<br>MATERIALS,<br>LLC | E249139 | ALL | 0.75     | HB  | -- | -- | -- | 65 | 65 | 65 |  |  |  |
|                                                               |                                            |         | ALL | 1.5      | HB  | -- | -- | -- | 65 | 65 | 65 |  |  |  |
|                                                               |                                            |         | ALL | 3.0      | HB  | -- | -- | -- | 65 | 65 | 65 |  |  |  |
| <a href="#">Polimid B GF30 V0A</a>                            | ASCEND<br>PERFORMANCE<br>MATERIALS,<br>LLC | E249139 | ALL | 0.8      | V-0 | 0  | 0  | 2  | 65 | 65 | 65 |  |  |  |
|                                                               |                                            |         | ALL | 1.5      | V-0 | 0  | 0  | 2  | 65 | 65 | 65 |  |  |  |
|                                                               |                                            |         | ALL | 3.0      | V-0 | 0  | 0  | 2  | 65 | 65 | 65 |  |  |  |
| <a href="#">WEKAMID B36</a><br><a href="#">NATURALE NW QA</a> | ASCEND<br>PERFORMANCE<br>MATERIALS,<br>LLC | E249139 | NC  | 0.85-1.8 | HB  | -- | -- | -- | 65 | 65 | 65 |  |  |  |